

According to regulation (EC) 1907/2006 REACH

Trade name: PREMIUM RIMS Printed on: 12. February 2021 Version: 1.1 / EN Established on: 22. December 2020

Page 1 of 14

Section 1: Identification of the substance/mixture and of the company

1.1 Name of the substance or preparation:	PREMIUM RIMS Article No.: 700779
1.2 Use of the substance or preparation:	Cleaner for rims/wheels – Ready to use For the professional user
1.2.1 Identified uses:	According to the conditions laid out in this MSDS
1.3 Name of the company:	STEFES GmbH Wendenstr. 21 b D-20097 Hamburg Tel: +49 (40) 53308330 Fax: +49 (40) 5330883329 <u>info@stefes.eu</u> Information giving Dept.: Product Safety Dept.

1.4 Emergency Tel. number (24 h): Poison Information Centre Mainz: +49 6131-19240

Section 2: Hazard identification

2.1 Classification of the substance or mixture:

Product classified regardless of its extreme pH.

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1A: Skin corrosion, Category 1A, H314

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:



Signal Word: DANGER

Hazard statements:

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Take-off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.



According to regulation (EC) 1907/2006 REACH					
Trade name: PREMIUM RIMS Version: 1.1 / EN					
Printed on: 12. February 2021	Established on: 22. December 2020	Page 2 of 14			

Substances that contribute to the classification

Cocamidopropyl betaine; sodium hydroxide; tetrasodium ethylene diamine tetraacetate

UFI: XC80-10TQ-C006-0RN1

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Section 3: Composition/information on ingredients

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of anionic and non-ionic surfactants **Components:**

	Identification		Chemical name/Classification			
CAS: EC:	Non-applicable 931-333-8	Cocamidopropyl betain	e ⁽¹⁾	Self-classified		
Index:	Non-applicable 01-2119489410-39- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	\Diamond	5 - <10 %	
CAS: EC:	1310-73-2 215-185-5	sodium hydroxide ⁽¹⁾		ATP CLP00		
Index:	011-002-00-6 : 01-2119457892-27- XXXX	Regulation 1272/2008	Skin Corr. 1A: H314 - Danger	\diamondsuit	5 - <10 %	
CAS: EC:	64-02-8 200-573-9	tetrasodium ethylene di	amine tetraacetate ⁽¹⁾	ATP ATP01		
Index:	607-428-00-2 : 01-2119486762-27- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	(1)	3 - <5 %	
CAS:	111-76-2	2-butoxyethanol ⁽¹⁾		ATP CLP00		
EC: 203-905-0 Index: 603-014-00-0 REACH: 01-2119475108-36- XXXX		Regulation 1272/2008	Acute Tox. 4: H302+H312+H332; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	()	1 - <3 %	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Section 4: First aid measures

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.



According to regulation (EC) 1907/2006 REACH					
Trade name: PREMIUM RIMS Version: 1.1 / EN					
Printed on: 12. February 2021	Established on: 22. December 2020	Page 3 of 14			

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

Section 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:



According to regulation (EC) 1907/2006 REACH					
Trade name: PREMIUM RIMS Version: 1.1 / EN					
Printed on: 12. February 2021	Established on: 22. December 2020	Page 4 of 14			

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:

It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

Section 7: Handling and storage

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage Minimum Temp.: 5 °C Maximum Temp.: 35 °C Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

Section 8: Exposure controls/personal protection

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation): Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits		
2-butoxyethanol	IOELV (8h)	20 ppm	98 mg/m [*]
CAS: 111-76-2 EC: 203-905-0	IOELV (STEL)	50 ppm	246 mg/m ³



According to regulation (EC) 1907/2006 REACH Trade name: PREMIUM RIMS Version: 1.1 / EN Printed on: 12. February 2021 Established on: 22. December 2020 Page 5 of 14

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Cocamidopropyl betaine	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
EC: 931-333-8	Inhalation	Non-applicable	Non-applicable	44 mg/m ³	Non-applicable
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
tetrasodium ethylene diamine tetraacetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-02-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-573-9	Inhalation	Non-applicable	3 mg/m ³	Non-applicable	1,5 mg/m ³
2-butoxyethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	125 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	1091 mg/m ³	246 mg/m ³	98 mg/m ³	Non-applicable

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Cocamidopropyl betaine	Oral	Non-applicable	Non-applicable	7,5 mg/kg	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	7,5 mg/kg	Non-applicable
EC: 931-333-8	Inhalation	Non-applicable	Non-applicable	13,04 mg/m ³	Non-applicable
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
tetrasodium ethylene diamine tetraacetate	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
CAS: 64-02-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-573-9	Inhalation	Non-applicable	1,2 mg/m ³	Non-applicable	0,6 mg/m ³
2-butoxyethanol	Oral	Non-applicable	Non-applicable	6,3 mg/kg	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	75 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	426 mg/m ³	147 mg/m ³	59 mg/m³	Non-applicable

PNEC:

Identification				
Cocamidopropyl betaine	STP	3000 mg/L	Fresh water	0,013 mg/L
CAS: Non-applicable	Soil	0,8 mg/kg	Marine water	0,001 mg/L
EC: 931-333-8	Intermittent	Non-applicable	Sediment (Fresh water)	14,8 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1,48 mg/kg
tetrasodium ethylene diamine tetraacetate	STP	43 mg/L	Fresh water	2,2 mg/L
CAS: 64-02-8	Soil	0,72 mg/kg	Marine water	0,22 mg/L
EC: 200-573-9	Intermittent	1,2 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Identification				
2-butoxyethanol	STP	463 mg/L	Fresh water	8,8 mg/L
CAS: 111-76-2	Soil	2,33 mg/kg	Marine water	0,88 mg/L
EC: 203-905-0	Intermittent	26,4 mg/L	Sediment (Fresh water)	34,6 mg/kg
	Oral	0,02 g/kg	Sediment (Marine water)	3,46 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE



According to regulation (EC) 1907/2006 REACH					
Trade name: PREMIUM RIMS Version: 1.1 / EN					
Printed on: 12. February 2021	Established on: 22. December 2020	Page 6 of 14			

marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands.

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental

spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:



According to regulation (EC) 1907/2006 REACH

Trade name: PREMIUM RIMS Printed on: 12. February 2021

Version: 1.1 / EN Established on: 22. December 2020

Page 7 of 14

V.O.C. (Supply): 2 % weight V.O.C. density at 20 °C: 21,61 kg/m³ (21,61 g/L) Average carbon number: 6 Average molecular weight: 118,2 g/mol

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Liquid Appearance: Fluid Colour: Yellowish Odour: Characteristic Odour threshold: Non-applicable * Volatility: Boiling point at atmospheric pressure: 101 °C Vapour pressure at 20 °C: 2341 Pa Vapour pressure at 50 °C: 12336,32 Pa (12,34 kPa) Evaporation rate at 20 °C: Non-applicable *

Product description:

Density at 20 °C: 1080,4 kg/m3 Relative density at 20 °C: 1,08 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * pH: 11,5 - 12,5 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Explosive properties: Non-applicable * Oxidising properties: Non-applicable *

Flammability:

Flash Point: Non Flammable (>60 °C) Heat of combustion: Non-applicable * Flammability (solid, gas): Non-applicable * Autoignition temperature: 238 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable *

Explosive:

Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable *

9.2 Other information:

Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable *



Accord		
Trade name: PREMIUM RIMS	Version: 1.1 / EN	
Printed on: 12. February 2021	Established on: 22. December 2020	Page 8 of 14

*Not relevant due to the nature of the product, not providing information property of its hazards.

Section 10: Stability and reactivity

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids Water		Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Not applicable

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

Section 11: Toxicological information

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health.

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.

- Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.

- Contact with the eyes: Produces serious eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):



According to regulation (EC) 1907/2006 REACH Trade name: PREMIUM RIMS Version: 1.1 / EN Printed on: 12. February 2021 Established on: 22. December 2020 Page 9 of 14 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3. IARC: 2-butoxyethanol (3) - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3. - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3. E- Sensitizing effects: - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3. - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3. F- Specific target organ toxicity (STOT) - single exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3. G- Specific target organ toxicity (STOT)-repeated exposure: - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3. - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3. H- Aspiration hazard: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3. **Other information:** Non-applicable Specific toxicology information on the substances:

Identification	A	Acute toxicity	
sodium hydroxide	LD50 oral	>2000 mg/kg	
CAS: 1310-73-2	LD50 dermal	>2000 mg/kg	
EC: 215-185-5	LC50 inhalation	>5 mg/L (4 h)	
tetrasodium ethylene diamine tetraacetate	LD50 oral	1700 mg/kg	Rat
CAS: 64-02-8	LD50 dermal	>2000 mg/kg	
EC: 200-573-9	LC50 inhalation	>5 mg/L (4 h)	
Cocamidopropyl betaine	LD50 oral	2333 mg/kg	Rat
CAS: Non-applicable	LD50 dermal	2001 mg/kg	Rat
EC: 931-333-8	LC50 inhalation	>5 mg/L (4 h)	
2-butoxyethanol	LD50 oral	1414 mg/kg	Rat
CAS: 111-76-2	LD50 dermal	1060 mg/kg	Rabbit
EC: 203-905-0	LC50 inhalation	11 mg/L (4 h)	Rat

Section 12: Ecological information

The experimental information related to the eco-toxicological properties of the product itself is not available **12.1 Toxicity:**



According to regulation (EC) 1907/2006 REACH

Trade name: PREMIUM RIMS

Version: 1.1 / EN Established on: 22. December 2020 Page 10 of 14

Printed on: 12. February 2021

Identification Acute toxicity Genus Species LC50 10.1 mg/L (96 h) Fish Cocamidopropyl betaine Brachydanio rerio EC50 21.5 mg/L (48 h) Crustacean CAS: Non-applicable Daphnia magna EC: 931-333-8 EC50 10.1 mg/L (96 h) Scenedesmus subspicatus Algae sodium hydroxide LC50 189 mg/L (48 h) Leuciscus idus Fish CAS: 1310-73-2 EC50 33 mg/L Crangon crangon Crustacean EC50 EC: 215-185-5 Non-applicable tetrasodium ethylene diamine tetraacetate LC50 121 mg/L (96 h) Lepomis macrochirus Fish CAS: 64-02-8 EC50 140 mg/L (48 h) Daphnia magna Crustacean EC: 200-573-9 EC50 Non-applicable 2-butoxyethanol LC50 1490 mg/L (96 h) Lepomis macrochirus Fish CAS: 111-76-2 EC50 1815 mg/L (48 h) Daphnia magna Crustacean EC: 203-905-0 EC50 911 mg/L (72 h) Pseudokirchneriella subcapitata Algae

12.2 Persistence and degradability:

Identification	Degradability		Biodegradability	
Cocamidopropyl betaine	BOD5	Non-applicable	Concentration	Non-applicable
CAS: Non-applicable	COD	Non-applicable	Period	28 days
EC: 931-333-8	BOD5/COD	Non-applicable	% Biodegradable	87,2 %
2-butoxyethanol	BOD5	0,71 g O2/g	Concentration	100 mg/L
CAS: 111-76-2	COD	2,2 g O2/g	Period	14 days
EC: 203-905-0	BOD5/COD	0,32	% Biodegradable	96 %

12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential	
Cocamidopropyl betaine	BCF	71
CAS: Non-applicable	Pow Log	
EC: 931-333-8	Potential	Moderate
tetrasodium ethylene diamine tetraacetate	BCF	2
CAS: 64-02-8	Pow Log	-13
EC: 200-573-9	Potential	Low
2-butoxyethanol	BCF	3
CAS: 111-76-2	Pow Log	0.83
EC: 203-905-0	Potential	Low

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Cocamidopropyl betaine	Koc	35600	Henry	Non-applicable
CAS: Non-applicable	Conclusion	Immobile	Dry soil	Non-applicable
EC: 931-333-8	Surface tension	Non-applicable	Moist soil	Non-applicable
tetrasodium ethylene diamine tetraacetate	Koc	1046	Henry	0E+0 Pa·m³/mol
CAS: 64-02-8	Conclusion	Low	Dry soil	No
EC: 200-573-9	Surface tension	Non-applicable	Moist soil	No
2-butoxyethanol	Koc	8	Henry	1,621E-1 Pa·m³/mol
CAS: 111-76-2	Conclusion	Very High	Dry soil	No
EC: 203-905-0	Surface tension	2,729E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described



According to regulation (EC) 1907/2006 REACH

Trade name: PREMIUM RIMS

Version: 1.1 / EN Established on: 22. December 2020 Printed on: 12. February 2021

Page 11 of 14

Section 13: Disposal consideration

13.1 Waste treatment methods:

	Code	Description	Waste class (Regulation (EU) No 1357/2014)
Ι	20 01 29*	detergents containing hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

Section 14: Transport information

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

14.1 UN number: 14.2 UN proper shipping name:	UN3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium
14.2 On proper suppling name.	hydroxide)
14.3 Transport hazard class(es):	8
Labels	8
14.4 Packing group:	Π
14.5 Environmental hazards:	No
14.6 Special precautions for user	
 Special regulations 	274
Tunnel restriction code	E
 Physico-chemical properties 	see section 9
 Limited quantities 	1 L
14.7 Transport in bulk according to	not applicable
Annex II of Marpol and the IBC Code	
Transport of dangerous goods by sea:	
With regard to IMDG 39-18:	
14.1 UN number:	UN3266
14.2 UN proper shipping name:	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium
	hydroxide)
14.3 Transport hazard class(es):	8
The Transport nazara class(es).	8
Labels	8 8
Labels 14.4 Packing group:	
Labels 14.4 Packing group: 14.5 Marine pollutant:	8
Labels 14.4 Packing group:	8 II



Acco	ording to regulation (EC) 1907/2006 REACH		
Trade name: PREMIUM RIMS	Version: 1.1 / EN		
Printed on: 12. February 2021	Established on: 22. December 2020 Page 12 c		
• EmS codes	F-A, S-B		
 Physico-chemical properties 	see section 9		
 Limited quantities 	1 L		
Segregation group	SGG18		
14.7 Transport in bulk according to	not applicable		
Annex II of Marpol and the IBC Code			
Transport of dangerous goods by air: With regard to IATA/ICAO 2020:			
14.1 UN number:	UN3266		
14.2 UN proper shipping name:	CORROSIVE LIQUID, BASIC, INORGANIC, N.O hydroxide)	.S. (sodium	
14.3 Transport hazard class(es):	8		
Labels	8		
14.4 Packing group:	II		
14.5 Environmental hazards:	No		
14.6 Special precautions for user			
 Physico-chemical properties 	see section 9		
14.7 Transport in bulk according to			
Annex II of Marpol and the IBC Code	not applicable		

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: Non-applicable REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Nonapplicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

Component	Concentration interval	
EDTA and salts thereof	% (w/w) < 5	
Amphoteric surfactants	5 <= % (w/w) < 15	

Seveso III: Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII **REACH, etc.):**

Non-applicable

Specific provisions in terms of protecting people or the environment:



According to regulation (EC) 1907/2006 REACH		
Trade name: PREMIUM RIMS	Version: 1.1 / EN	
Printed on: 12. February 2021	Established on: 22. December 2020	Page 13 of 14

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products - Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

Section 16: Other information

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage.

Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself, they are present a

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.
Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Eye Dam. 1: H318 - Causes serious eye damage.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Skin Irrit. 2: H315 - Causes skin irritation.
Classification procedure:
Skin Corr. 1A: Calculation method

Eye Dam. 1: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://eur-lex.europa.eu



According to regulation (EC) 1907/2006 REACH Trade name: PREMIUM RIMS Version: 1.1 / EN

Printed on: 12. February 2021 Established on: 22. December 2020 Page 14 of 14

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon